## Cancer in South Dakota

Preliminary report of cancer among South Dakotans in 2020

# **South Dakota Cancer Registry**





**April 2022** 

South Dakota Cancer Registry funded with a grant from the Centers for Disease Control and Prevention – grant number DP006293 Picture courtesy of South Dakota Department of Tourism, Pierre, SD

This report presents numbers and rates of new malignant cancer cases that were diagnosed among South Dakota residents during the year 2020. This data is current as of March 20, 2022. However, data from 2020 is still in the process of being collected so this report should be considered preliminary. Once the majority of the 2020 cases are reported, the South Dakota Cancer Registry (SDCR) will release a final report, which will be posted at http:// getscreened.sd.gov/registry/data/. The final report will present a more complete incidence of data that is currently available. Statistics on cancer deaths that occurred among South Dakota residents during 2020 will be available in the South Dakota Vital Statistics: State and County Comparison of Leading Health Indicators, 2020 when completed.

On the following pages, Table 1 presents the number of new cases and the age-adjusted incidence rate for all cancers combined by primary site and gender for the year 2020. During that year, there were a total of 3,891 invasive and *in situ* bladder cancers diagnosed among South Dakota residents which translates into an age-adjusted rate of 350.0 per 100,000 population. By primary site, cancers of the female breast, lung, prostate, colorectal (colon and rectum), and bladder accounted for 2,021 diagnoses, more than half (51.9%) of all new malignancies.

By gender, female breast cancer was the most frequently diagnosed cancer. It accounted for 27.9% of all new cases among women, followed by lung cancer and colorectal cancer. Among men, cancer of the prostate occurred most frequently, accounting for 24% of all new malignancies, followed by lung cancer and colorectal cancer.

Table 2 presents the number of cases diagnosed in 2020 by the SEER Summary Stage. This table reflects in situ cases that are not used to calculate incidence rates, but are collected by the SDCR. Summary staging categorizes how far a cancer has spread from its point of origin. Summary staging uses all information available in the medical record by using a combination of the most precise clinical and pathological documentation based on the extent of disease.

This report is available online at <a href="http://getscreened.sd.gov/registry/data/">http://getscreened.sd.gov/registry/data/</a>.

Table 1: Age-Adjusted Incidence Rates by Site and Gender South Dakota, 2020 (Preliminary)

	TOTAL MA		LE	FEM	ALE	
	Cases	Age- Adjusted Rate	Cases	Age- Adjusted Rate	Cases	Age- Adjusted Rate
All Sites	3891	350.0	1975	362.9	1882	347.0
Bladder	195	16.6	150	27.9	45	7.2
Kidney and Renal Pelvis	128	11.9	74	14.0	54	10.4
Ureter	9	0.8	6	1.1	3	0.6
Other Urinary Organs	8	0.6	7	1.4	1	0.1
Bones and Joints	8	0.9	6	1.3	2	0.5
Soft Tissue (Including Heart)	16	1.5	10	2.0	6	1.2
Brain and Nervous System	54	5.3	29	5.9	25	5.2
Eye and Orbit	5	0.5	2	0.3	3	0.5
Breast, Female	527	101.8			527	101.8
Cervix Uteri	25	5.4			25	5.4
Corpus and Uterus, NOS	147	27.4			147	27.4
Ovary	49	9.4			49	9.4
Vagina	3	0.5			3	0.5
Vulva	24	4.6			24	4.6
Other Female Genital Organs	9	1.6			9	1.6
Breast, Male	4	0.8	4	0.8		1.0
Penis	5	1.0	5	1.0		
Prostate	482	81.0	482	81.0		
Testis	25	6.3	25	6.3		
Oral Cavity and Pharynx	104	9.9	74	14.4	30	5.8
Anus, Anal Canal and Anorectum	25	2.3	11	1.9	14	2.6
Colorectal	334	31.5	171	33.2	163	30.0
Esophagus	40	3.3	35	5.9	5	0.8
Gallbladder	12	1.1	4	0.7	8	1.4
Liver and Bile Ducts	66	5.9	46	8.3	20	3.7
Other Biliary	18	1.5	12	2.3	6	0.9
Pancreas	133	11.8	69	12.8		
					64	10.5
Peritoneum, Omentum and Mesentery	6	0.6	0	0.0	6	0.6
Retroperitoneum Small Intestine	6	0.5	2	0.3	4	0.8
Stomach	22	1.8	14	2.4	8	1.4
	40	3.3	26	4.9	14	2.3
Larynx	20	1.8	19	3.4	1	0.2
Lung and Bronchus	483	40.2	247	44.0	236	37.6
Mesothelioma	2	0.1	2	0.3	0	0.0
Nose, Nasal Cavity and Middle Ear	5	0.5	4	0.9	1	0.2
Melanoma of the Skin	207	19.8	121	23.2	86	17.5
Other Skin	18	1.6	7	1.1	11	1.7
Hodgkin's Lymphoma	19	1.9	8	1.7	11	2.5
Non-Hodgkin's Lymphoma	216	19.4	132	24.8	84	14.0
Leukemia	143	13.0	92	17.7	51	8.6
Myeloma	65	6.0	37	7.5	28	4.8
Myeloproliferative and Myelodysplastic	38	3.5	22	4.4	16	2.4
Thyroid	88	8.9	23	4.5	65	13.7
Other Endocrine	3	0.3	1	0.2	2	0.3
Other Sites	55	4.9	26	5.0	29	4.6

Rates per 100,000 persons and age-adjusted to the 2000 US standard population and 2020 SD estimate population. Source: South Dakota Department of Health

Table 2: Incidence Counts by SEER Summary Stage and Primary Site South Dakota, 2020 (Preliminary)

Primary Site	In Situ	Localized	Regional	Distant	Unstaged/ Unknown	Total
Total	470	1751	861	1051	130	4264
Bladder	97	67	22	5	4	195
Kidney and Renal Pelvis	7	83	24	16	5	135
Ureter	4	4	4	1	0	13
Other Urinary Organs	1	3	2	2	1	9
Bones and Joints	0	2	2	2	2	8
Soft Tissue (Including Heart)	0	9	4	3	0	16
Brain and Nervous System	0	45	7	1	1	54
Eye and Orbit	0	3	1	1	0	5
Breast, Female	136	355	135	33	4	663
Cervix Uteri	0	12	9	4	0	25
Corpus and Uterus, NOS	0	126	16	4	1	147
Ovary	0	20	9	19	1	49
Vagina	1	1	2	0	0	4
Vulva	15	11	11	1	1	39
Other Female Genital Organs	1	2	4	3	0	10
Breast, Male	1	1	3	0	0	5
Penis	2	2	2	1	0	7
Prostate	0	331	91	50	10	482
Testis	0	12	9	4	0	25
Oral Cavity & Pharynx	11	39	59	3	3	115
Anus, Anal Canal and Anorectum	5	8	13	3	1	30
Colorectal	11	90	144	92	8	345
Esophagus Gallbladder	0	7 0	16	14 5	3	40 12
Liver and Bile Ducts	0	30	7 15	17	0 4	66
Other Biliary	0	50	4	7	2	18
Pancreas	0	26	38	66	1	133
Peritoneum, Omentum and Mesentery	0	1	5	00	0	6
Retroperitoneum	0	1	5	1	0	6
Small Intestine	0	5	10	6	1	22
Stomach	0	13	7	19		40
Larynx	2	11	5	4	0	22
Lung and Bronchus	3	145	91	238	9	486
Mesothelioma	0	0	1	1	Ö	2
Nose, Nasal Cavity and Middle Ear	0	2	1	1	1	5
Melanomas of the Skin	171	170	27	9	1	378
Other Skin	1	13	2	2	1	19
Hodgkin's Lymphoma	0	3	7	9	0	19
Non-Hodgkin's Lymphoma	Ö	35	16	161	4	216
Leukemia	0	0	0	142	1	143
Multiple Myeloma	0	1	Ö	60	4	65
Myeloproliferative and Myelodysplastic	0	2	Ö	36	0	38
Thyroid	1	54	30	3	1	89
Other Endocrine	0	1	1	1	0	3
Other Sites	0	0	0	1	54	55

Source: South Dakota Department of Health

### Appendix A: SEER Incidence Site Analysis Categories

Site Group	ICD-O-3 Site	ICD-O-3 Histology (Type)	Recode
Oral Cavity and Pharynx			
Lip	C000-C009	excluding 9050-9055, 9140, 9590-9992	20010
Tongue	C019-C029		20020
Salivary Gland	C079-C089	7	20030
Floor of Mouth	C040-C049	7	20040
Gum and Other Mouth	C030-C039, C050-C059,		20050
	C060-C069		
Nasopharynx	C110-C119		20060
Tonsil	C090-C099		20070
Oropharynx	C100-C109		20080
Hypopharynx	C129, C130-C139		20090
Other Oral Cavity and Pharynx	C140, C142-C148		20100
Digestive System	,		
Esophagus	C150-C159	excluding 9050-9055, 9140, 9590-9992	21010
Stomach	C160-C169		21020
Small Intestine	C170-C179	7	21030
Colon and Rectum			
Colon Excluding Rectum			
Cecum	C180	excluding 9050-9055, 9140, 9590-9992	21041
Appendix	C181		21042
Ascending Colon	C182	7	21043
Hepatic Flexure	C183	7	21044
Transverse Colon	C184	7	21045
Splenic Flexure	C185	7	21046
Descending Colon	C186	7	21047
Sigmoid Colon	C187		21048
Large Intestine, NOS	C188-C189, C260		21049
Rectum and Rectosigmoid	,		
Junction			
Rectosigmoid Junction	C199	excluding 9050-9055, 9140, 9590-9992	21051
Rectum	C209	7	21052
Anus, Anal Canal and Anorectum	C210-C212, C218	7	21060
Liver and Intrahepatic Bile Duct			
Liver	C220	excluding 9050-9055, 9140, 9590-9992	21071
Intrahepatic Bile Duct	C221	7	21072
Gallbladder	C239	7	21080
Other Biliary	C240-C249		21090
Pancreas	C250-C259		21100
Retroperitoneum	C480		21110
Peritoneum, Omentum and	C481-C482		21120
Mesentery			
Other Digestive Organs	C268-C269, C488		21130
Respiratory System			
Nose, Nasal Cavity and Middle Ear	C300-C301, C310-C319	excluding 9050-9055, 9140, 9590-9992	22010
Larynx	C320-C329	7	22020
Lung and Bronchus	C340-C349		22030
Pleura	C384	7	22050
Trachea, Mediastinum	C339, C381-C383, C388,		22060
and Other Respiratory	C390, C398, C399		
Organs			

#### Appendix A: SEER Incidence Site Analysis Categories (continued)

Bones and Joints	C400-C419	excluding 9050-9055, 9140, 9590-9992	23000
Soft Tissue Including Heart	C380, C470-C479, C490-C499	excluding 9050-9055, 9140, 9590-9992	24000
Skin Excluding Basal And Squamous			
Melanoma of the Skin	C440-C449	8720-8790	25010
Other Non-Epithelial Skin	C440-C449	excluding 8000-8005, 8010-8046, 8050-8084, 8090-8110, 8720-8790, 9050-9055, 9140, 9590-9992	25020
Breast	C500-C509	excluding 9050-9055, 9140, 9590-9992	26000
Female Genital System			
Cervix Uteri	C530-C539	excluding 9050-9055, 9140, 9590-9992	27010
Corpus and Uterus, NOS			
Corpus Uteri	C540-C549	excluding 9050-9055, 9140, 9590-9992	27020
Uterus, NOS	C559	<b>T</b>	27030
Ovary	C569		27040
Vagina	C529	7	27050
Vulva	C510-C519	7	27060
Other Female Genital Organs	C570-C589	7	27070
Male Genital System			
Prostate	C619	excluding 9050-9055, 9140, 9590-9992	28010
Testis	C620-C629		28020
Penis	C600-C609		28030
Other Male Genital	C630-C639		28040
Organs			
Urinary System			
Urinary Bladder	C670-C679	excluding 9050-9055, 9140, 9590-9992	29010
Kidney and Renal Pelvis			29020
Ureter	C669		29030
Other Urinary Organs	C680-C689		29040
Eye and Orbit	C690-C699	excluding 9050-9055, 9140, 9590-9992	30000
Brain and Other Nervous System			
Brain	C710-C719	excluding 9050-9055, 9140, 9590-9992	31010
Cranial Nerves Other	C710-C719	9530-9539	31040
Nervous System	C700-C709, C720-C729	excluding 9050-9055, 9140, 9590-9992	1
Endocrine System			
Thyroid	C739	excluding 9050-9055, 9140, 9590-9992	32010
Other Endocrine Including Thymus	C379, C740-C749, C750-C759		32020

#### Appendix A: SEER Incidence Site Analysis Categories (continued)

Lymphoma			
Hodgkin's Lymphoma			
Hodgkin's - Nodal	C024, C098-C099, C111, C142, C379, C422, C770-C779	9650-9667	33011
Hodgkin's -	All other sites		33012
Extranodal			
Non-Hodgkin's			
Lymphoma (NHL)			
NHL - Nodal	C024, C098,C099, C111,C142, C379,C422, C770-C779	9590-9597, 9670-9671, 9673, 9675, 9678- 9680, 9684, 9687-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714-9719, 9724- 9729, 9735, 9737-9738, 9811-9818, 9823, 9827, 9837	33041
NHL - Extranodal	All sites except C024, C098-C099, C111, C142, C379, C422, C770-C779 All sites except C024, C098-C099, C111, C142, C379, C420-C422, C424,	9590-9597, 9670-9671, 9673, 9675, 9678- 9680, 9684, 9687, 9688, 9689-9691, 9695, 9698-9702, 9705, 9708-9709, 9712, 9714- 9719, 9724-9729, 9735, 9737, 9738 9811-9818, 9823, 9827, 9837	33042
	C770-C779		
Myeloma		9731-9132, 9734	34000
Leukemia			
Lymphocytic Leukemia			
Acute Lymphocytic		9826, 9835-9836	35011
Leukemia	C420, C421, C424	9811-9818, 9837	
Chronic Lymphocytic Leukemia	C420, C421, C424	9823	35012
Other Lymphocytic Leukemia		9820, 9832-9834, 9940	35013
Myeloid and Monocytic Leukemia			
Acute Myeloid Leukemia		9840, 9861, 9865-9867, 9869, 9871-9874, 9895-9897, 9898, 9910-9911, 9920	35021
Acute Monocytic Leukemia		9891	35031
Chronic Myeloid Leukemia		9863, 9875, 9876, 9945, 9946	35022
Other Myeloid/Monocytic Leukemia		9860, 9930	35023
Other Leukemia			
Other Acute Leukemia		9801, 9805-9809, 9931	35041
Aleukemic, Subleukemic and		9733, 9742, 9800, 9831, 9870, 9948, 9963, 9964	35043
NOS	C420, C421, C424	9827	
Mesothelioma		9050-9055	36010
Kaposi Sarcoma		9140	36020
Miscellaneous		9740-9741, 9750-9769, 9950, 9960-9962, 9965-9967, 9970-9971, 9975, 9980, 9982- 9987, 9989, 9991-9992	37000
	C760-C768, C809 C420-C424 C770-C779	excluding 9050-9055, 9140, 9590-9992	
Invalid	Site or histology code not within valid table.	d range or site code not found in this	99999

Source: <a href="http://seer.cancer.gov/siterecode">http://seer.cancer.gov/siterecode</a>
\* This table was updated for Hematopoietic codes based on WHO Classification of Tumors of Hematopoietic and Lymphoid Tissues (2008).